## **NOTES (THIS SHEET)**

1. REFER TO SHEET A0.00 FOR GENERAL NOTES, LEGEND, AND ABBREVIATIONS.





## **# KEYNOTES (THIS SHEET)**

- EXISTING 6" CW SERVICE TO BELOW SLAB TO REMAIN.
- - LAV TO REMAIN. MAKE CONNECTION TO RELOCATED WATER HEATER AND CW PIPING.
  - TO FLOOR LEVEL. RECONNECT WITH NEW 3/4" CW AND 3/4" HW PIPING. PROVIDE ISOLATION VALVES.
  - NEW WALL MOUNTED WATER CLOSET, WC. MAKE CONNECTION WITH 1-1/4" CW.

  - SANITARY VENT THRU ROOF. ENSURE VENTING LOCATION DOES NOT CONFLICT WITH NEW RTU OA INTAKE.



EXISTING SAN PIPING FROM BELOW SLAB SERVING LAV TO REMAIN.

- EXISTING LAV TO REMAIN.
- EXISTING CW TO IRRIGATION SYSTEM TO REMAIN.
- EXISTING CW AND HW PIPING EXPOSED ALONG WALL TO EXISTING
- RELOCATE EXISTING WATER HEATER AND EXPANSION TANK DOWN
- NEW UNDERCOUNTER LAVATORY, LAV. MAKE CONNECTION WITH NEW 1/2" CW AND 1/2" HW.
- MAKE CONNECTION TO EXISTING AND NEW VENT PIPING. ROUTE V THROUGH ROOF. SEE DETAIL.
- NEW V PIPING EXPOSED ALONG WALL. MAKE CONNECTION TO V

FGM Architects Inc. 1211 W 22nd St, Suite 700

CHICAGO, IL 60661 312.466.8242 (O) DESIGN FIRM REGISTRATION NO. 184-000450

M.E.P. CLARK DIETZ 118 S CLINTON, SUITE 700 CHICAGO, IL 60661 312.466.8242 (O) DESIGN FIRM REGISTRATION NO. 184-000450

CIVIL CLARK DIETZ
118 S CLINTON, SUITE 700 CHICAGO, IL 60661 312.466.8242 (O) DESIGN FIRM REGISTRATION NO. 184-000450

## **NOT FOR CONSTRUCTION**

FOR REVIEW ONLY

Not for regulatory approval, permit or construction.

The information on this document is preliminary or incomplete, not for construction, recording purposes, or implementation.

ISSUANCE		
NO	DATE	DESCRIPTION
2	12/12/2024	ADDENDUM 2

**COUNTY PUBLIC WORKS ADDITION** 

## OFFICE

FIRST FLOOR PLUMBING **PLAN** 

**JOB NO.** 24-4020.01 © 2024 FGM Architects Inc.

